Safety Data Sheet

Trade Name: EMBRACE™ WetBond™ Pit and Fissure Sealants

1.0	Commercial Product Name and Supplier			
1.1	Commercial product name	Embrace™ WetBond™ Pit and Fissure Sealant, Natural Shade Embrace™ WetBond™ Pit and Fissure Sealant, Off-White Shade Embrace™ WetBond™ Pit and Fissure Sealant, Low Fill		
1.2	Application / Use	Dental material for use by dental professional only.		
1.2.2	SIC	851 Human health activity		
1.2.3	Use Category	55		
1.3	Manufacturer <i>Pulpdent Corporation</i> 80 Oakland Street P.O. Box 780 Watertown, MA 02472 USA	Telephone: 1 617 926-6666 Fax: 1 617 926-6262 Email: <u>Pulpdent@pulpdent.com</u>		
1.4	Emergency Telephone Number	1-800-535-5053 (24 Hour / USA)		
1.5	Authorized European Representative	Advena Limited Tower Business Centre, 2nd Floor, Tower Street, Swatar, BKR 4013 Malta		
	UK Responsible Person	Advena Limited Pure Offices, Plato Close Warwick, CV34 6WE United Kingdom		
	CH Authorized Representative	MedEnvoy Switzerland Gotthardstrasse 28, 6302 Zug, Switzerland		
2.0	Hazards Identification			
2.1	Classification			
2.1.1	Classification according to Regulation (EC) No 1272/2008 [CLP]	Hazard ClassHazard CategoryHazard StatementAcute toxicity4H302Eye irritation2H319STOT SE3H335Skin irritation2H315Skin sensitization1H317		
2.1.2	Classification according to Directive 67/548/EEC	Harmful (Xn) R22, Irritant; Xi; R 36/37/38 – 43 (See SECTION 16 for fut text of risk phrases)		
2.2	GHS Label Elements Hazard Pictograms			
	Signal Word: WARNING			
	Restricted to use by dental professional only.			
	Hazard Statements			

H302 Harmful if swallowed.

H319: Eye irritation. 2. May cause eye irritation.

H335: STOT SE. 3. May cause respiratory irritation.

H315: Skin irritation. 2. May cause skin irritation.

H317: Sensitization. 1. May cause an allergic skin reaction.

Safety Data Sheet

Trade Name: *EMBRACE™* WetBond™ Pit and Fissure Sealants

Precautionary Statements

P261: Avoid breathing vapor.
P280: Wear protective gloves and eye protection
P305+P351: If in eyes, rinse cautiously with water for several minutes.
P337+P313: If eye irritation persists, get medical advice/attention.
P302+P352: If on skin, wash with plenty of soap and water.
P333+P313: If irritation or rash occurs, get medical advice/attention.
P410+P411: Protect from sunlight. Store at temperature not exceeding 27°C / 80°F.

3.0 Composition

- 3.1 Chemical characterization of the preparation: Acrylate ester monomers, glass-filled paste.
- 3.2 Hazardous ingredients

•					
	CAS Number	Name of the Ingredient	Concentration	Classification per 67/548/EEC	Classification per Regulation (EC) No.1272/2008 (CLP).
	Proprietary	Uncured acrylate ester monomers	55-60%	Irritant; Xi R 3637//38 - 43	Eye irritation, 2 H319 STOT SE 3 H335 Skin irritation,2 H317 Skin sensitization,1H317
	112945-52-5	Silica, amorphous	5 %	Irritant; Xi, R 36/37/38	Eye irritation, 2 H319 STOT SE 3 H335 Skin irritation, 2 H315
	7681-49-4	Sodium fluoride	<2%	Harmful (Xn); R22-36/38	Acute toxicity, 4 H302 Skin irritation, 2 H315 Eye irritation, 2 H319
4.0	First Aid Measur	es	•		

4.1	General Information	May be irritating to eyes, respiratory system and skin. Avoid contact with eyes and skin. Do not inhale vapors. May cause sensitization by skin contact. Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty.	
4.2	Inhalation	Move to fresh air. If necessary, administer oxygen and/or artificial respiration. Seek medical attention.	
4.3	Skin Contact	Take off contaminated clothing. Wash skin thoroughly with soap and water.	
4.4	Eye Contact	Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention.	
4.5	Ingestion	Rinse mouth with water. Do not induce vomiting. Get immediate medical attention. May be irritating to mucous membranes. Never give anything by mouth to an unconscious person.	
4.6 4.7	Precautions for first responders Information for physicians	Ventilate the area. Wear eye and skin protection.	
	Symptoms	Irritation or redness in eyes, throat or on skin.	
	Hazards	May be irritating to eyes, respiratory system and skin. May cause sensitization by skin contact.	
	Treatment	As above under First Aid.	
5.0	Fire Fighting Measures		
5.1	Suitable extinguishing media	Carbon dioxide, dry chemical, alcohol foam, or water fog. Water spray may be used to keep fire exposed containers cool.	

Pulpdent Corporation

Safety Data Sheet

Trade Name: *EMBRACE™ WetBond™ Pit and Fissure Sealants*

5.2	Extinguishing media to avoid	Do not use direct water stream		
5.3	Special exposure hazards in a fire	Heat may cause polymerization with rapid release of energy.		
5.4	Special protective equipment for fire- fighters	Self-contained breathing apparatus		
6.0	Accidental Release Measures			
6.1	Personal precautions.	Wear safety glasses, gloves and lab coat.		
6.2	Environmental precautions	Avoid releasing large amounts of uncured material into the environment. Cured / set-up material is, to our knowledge, inert.		
6.3	Method for clean up	Contain spilled material. Absorb or wipe up spill with paper towels or cloths Collect for disposal in a covered container. Wash area of spill with alcohol o soap and water.		
7.0	Handling and Storage			
7.1	Handling	For use only by dental professionals. Follow good hygiene practices. Avoid direct/strong light sources, extremes of temperature (>27°C/80°F, <5°C/40°F) contamination. Recap immediately after use.		
7.2	Storage	Store product tightly capped in original container at cool room temperature (<25°C). Avoid direct/strong light, sources of ignition and extremes of temperature. Shelf life for unopened product is two years from date of manufacture, provided that the material has been stored properly.		
7.3	Specific uses	Dental restorative materials		
8.0	Exposure Controls / Personal Protection	n		
8.1	Exposure limit values	PEL: Not established. TLV: Not established.		
8.2	Exposure controls			
8.2.1	Occupational exposure controls	No special equipment required under normal conditions of use.		
8.2.1.1	Respiratory protection	Good general ventilation will control airborne vapors from uncured material.		
8.2.1.2	Hand protection	No special requirements other than the surgical gloves worn by dental staff.		
8.2.1.3	Eye protection	No special requirements other than the usual safety glasses.		
8.2.1.4	Skin protection	Good personal hygiene and safety practices; wearing a lab coat		
8.2.1.5	Other controls	Emergency eye wash fountain should be available. Wash hands after use.		
8.2.2	Environmental exposure controls	Cure material before disposing.		
9.0	Physical and Chemical Properties			
9.1	Appearance			
9.1.1	Color / Physical state	Natural tooth shade or off-white thin paste.		
9.1.2	Odor	Faint, characteristic		
	Important health, safety and environmental information			
9.2				
	рН	Not determined		
9.2.1	pH Boiling point	Not determined Not determined		
9.2 9.2.1 9.2.2 9.2.3	•			
9.2.1 9.2.2	Boiling point	Not determined		

Safety Data Sheet

Trade Name: *EMBRACE™ WetBond™ Pit and Fissure Sealants*

15.0	Regulatory Information	
14.1	Restrictions	None. Not regulated.
14.0	Transport Information	
13.1	Regulations	Follow all local and national government regulations in disposing material or contaminated packaging.
13.0	Disposal Considerations	
12.1	Ecotoxicity	Avoid release of uncured material into the environment. To the best of our knowledge, polymerized material is inert. No other information is available. Follow all government regulations.
12.0	Ecological Information	
11.7	Clinical experience	Embrace Sealants have been sold in the US and internationally for more than 15 years. There have been no reports of adverse events.
11.6	Empirical data	Not available
11.5	Carcinogenicity, Mutagenicity, Reproductive Toxicity	None known
11.4	Sub-acute, sub-chronic and prolonged toxicity	Prolonged/frequent skin contact may cause allergic skin reactions in susceptible individuals. Prolonged exposure to large amounts (more than in this product) may cause eye and respiratory irritation.
11.3	Sensitization	May be sensitizing. Prolonged or frequent skin contact may cause allergic skin reactions in some susceptible individuals.
11.2	Irritation and corrosiveness	May be irritating to eyes, respiratory tract, mucous membranes or skin on contact or with prolonged exposure.
11.1	Acute toxicity	Not toxic. Minimal health hazard in the quantity present in this product and under normal conditions of use.
11.0	Toxicological information	
10.4	Further information	Stable material if stored and used as directed. Polymerization will occur when light-cured material is exposed to direct light.
10.3	Hazardous decomposition products	Under fire conditions and with amounts greater than that supplied in this product, hazardous polymerization may occur with heat build-up, release of carbon monoxide, carbon dioxide, and oxides of nitrogen.
10.2	Materials to avoid	Reducing and oxidizing agents, peroxides, amines.
10.1	Conditions to avoid	Temperature > 38°C, intense light.
10.0	Stability and reactivity	
9.2.13	Evaporation rate	Not determined
9.2.12	Vapor density	Not determined
9.2.11	Viscosity	Not determined
9.2.10	Partition coefficient	Not determined
9.2.9	Solubility in water	Nil
9.2.8	Specific gravity	1.575
9.2.7	Vapor pressure	< 1 mm Hg
9.2.6	Oxidizing properties	Not determined

Pulpdent Corporation

Safety Data Sheet

Revision Date: June 14, 2022

Trade Name: *EMBRACE™ WetBond™ Pit and Fissure Sealants*

15.1	EU	Class IIa medical devices under MDD 93/42/EEC.
15.2	US FDA	Class II medical devices.
15.3	Health Canada	Class III medical devices
16.0	Other information	
16.1	List of relevant R phrases	R 22: Harmful if swallowed. R 36 / 3 7/ 38: Irritating to eyes, respiratory system and skin. R 43: Sensitizing by skin contact.
16.2	Hazard Statements	 H302: Harmful if swallowed. Category 4. H319: Eye irritation. Hazard category 2. H335: Specific Target Organ Toxicity - Single exposure; hazard category. 3. Respiratory tract irritation. H315: Skin irritation. Hazard category 2. H317: Skin Sensitization. Hazard category 1.
16.3	Precautionary Statements	 P261: Avoid breathing vapor. P280: Wear protective gloves and eye protection P305 + P351: If in eyes, rinse cautiously with water for several minutes. P337 + P313: If eye irritation persists, get medical advice/attention. P302 + P352: If on skin, wash with plenty of soap and water. P333 + P313: If irritation or rash occurs, get medical advice / attention. P410 + P411: Protect from sunlight. Store at temperature ≤ 27°C / 80°F.
16.4	Restrictions on use	For use by dental professionals only.
16.5	Further information	The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
16.6	Sources of key data	National Institute for Occupational Safety (NIOSH)
		US Occupational Safety and Health Administration (OSHA)
		Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1;
16.7	Information which has been added, deleted or revised.	December 2011. European Chemicals Agency This Safety Data Sheet has been revised to meet the requirements of GHS SDS format and Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified.